



Load Chart / 载荷曲线

| R (m) | 10000 kg | | | | | | | | | | 5000 kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|----------|----|----|----|--------|-------|--------|-------|--------|---------|---------|-------|--------|---------|------|--------|-------|---------|--------|-------|------|---------|-------|------|------|---------|------|------|------|------|------|---------|------|------|------|------|------|---------|------|------|------|------|------|---------|
| 65 | 16,4 | 18 | 20 | 22 | 24 | 26 | 27 | 29,3 | 31,7 | 35 | 37 | 40 | 42 | 45 | 47 | 50 | 52 | 55 | 57 | 60 | 62 | 65,0 m | 10000 | 8990 | 7940 | 7090 | 6380 | 5790 | 5530 | 5000 | 5000 | 4470 | 4190 | 3840 | 3620 | 3340 | 3180 | 2960 | 2820 | 2640 | 2530 | 2370 | 2280 | 2150 kg |
| 60 | 18,1 | 20 | 22 | 24 | 26 | 27 | 30 | 32,4 | 35,2 | 37 | 40 | 42 | 45 | 47 | 50 | 52 | 55 | 57 | 60,0 m | 10000 | 8920 | 7980 | 7200 | 6540 | 6250 | 5500 | 5000 | 5000 | 4730 | 4330 | 4100 | 3780 | 3600 | 3350 | 3200 | 2990 | 2870 | 2700 kg | | | | | | |
| 55 | 20,1 | 22 | 24 | 26 | 27 | 30 | 32 | 35 | 35,9 | 39,2 | 42 | 45 | 47 | 50 | 52 | 55,0 m | 10000 | 8980 | 8120 | 7380 | 7060 | 6230 | 5760 | 5160 | 5000 | 5000 | 4630 | 4280 | 4070 | 3800 | 3630 | 3400 kg | | | | | | | | | | | | |
| 50 | 21,8 | 24 | 26 | 27 | 30 | 32 | 35 | 37 | 39,1 | 42,8 | 45 | 47 | 50,0 m | 10000 | 8940 | 8150 | 7800 | 6880 | 6370 | 5720 | 5340 | 5000 | 5000 | 4730 | 4500 | 4200 kg | | | | | | | | | | | | | | | | | | |
| 45 | 22,4 | 24 | 26 | 27 | 30 | 32 | 35 | 37 | 40,2 | 44,2 | 45,0 m | 10000 | 9240 | 8420 | 8050 | 7120 | 6590 | 5920 | 5530 | 5000 | 5000 | 4900 kg | | | | | | | | | | | | | | | | | | | | | | |
| 40 | 22,7 | 24 | 26 | 27 | 30 | 32 | 35 | 37 | 39,5 m | 10000 | 9390 | 8560 | 8190 | 7240 | 6710 | 6020 | 5630 | 5200 kg | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 35 | 23,3 | 24 | 26 | 27 | 30 | 32 | 34,5 m | 10000 | 9640 | 8790 | 8410 | 7440 | 6890 | 6300 kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 | 22,8 | 24 | 26 | 27 | 29,5 m | 10000 | 9410 | 8580 | 8210 | 7400 kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




Load Chart Powerlift / 载荷曲线 Powerlift


| R (m) | 10000 kg | | | | | | | | | | 5000 kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|----------|----|----|--------|-------|--------|-------|---------|-------|--------|---------|---------|-------|------|--------|---------|------|--------|-------|------|--------|-------|------|---------|------|------|------|------|------|---------|------|------|------|------|------|---------|------|------|------|------|------|---------|
| 65 | 17,4 | 20 | 22 | 24 | 26 | 28 | 30 | 30,9 | 34,2 | 37 | 40 | 42 | 45 | 47 | 50 | 52 | 55 | 57 | 60 | 62 | 65,0 m | 10000 | 8470 | 7570 | 6820 | 6200 | 5660 | 5200 | 5000 | 5000 | 4570 | 4180 | 3950 | 3650 | 3470 | 3230 | 3080 | 2890 | 2770 | 2600 | 2500 | 2360 kg |
| 60 | 19,3 | 22 | 24 | 26 | 28 | 30 | 32 | 34,5 | 38,1 | 40 | 42 | 45 | 47 | 50 | 52 | 55 | 57 | 60,0 m | 10000 | 8590 | 7750 | 7050 | 6450 | 5940 | 5490 | 5000 | 5000 | 4740 | 4480 | 4140 | 3940 | 3670 | 3510 | 3290 | 3160 | 2970 kg | | | | | | |
| 55 | 21,5 | 24 | 26 | 28 | 30 | 32 | 35 | 37 | 38,0 | 42,0 | 45 | 47 | 50 | 52 | 55,0 m | 10000 | 8790 | 8000 | 7340 | 6760 | 6260 | 5620 | 5240 | 5000 | 5000 | 4700 | 4470 | 4170 | 3990 | 3740 kg | | | | | | | | | | | | |
| 50 | 23,4 | 26 | 28 | 30 | 32 | 35 | 37 | 40 | 42,0 | 46,0 | 47 | 50,0 m | 10000 | 8860 | 8130 | 7500 | 6950 | 6250 | 5840 | 5310 | 5000 | 5000 | 4950 | 4620 kg | | | | | | | | | | | | | | | | | | |
| 45 | 24,1 | 26 | 28 | 30 | 32 | 35 | 37 | 40 | 43,3 | 45,0 m | 10000 | 9180 | 8430 | 7780 | 7210 | 6480 | 6060 | 5520 | 5000 | | | | | | | | | | | | | | | | | | | | | | | |
| 40 | 24,6 | 26 | 28 | 30 | 32 | 35 | 37 | 39,5 m | 10000 | 9360 | 8590 | 7930 | 7350 | 6610 | 6190 | 5720 kg | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 35 | 25,2 | 26 | 28 | 30 | 32 | 34,5 m | 10000 | 9630 | 8840 | 8160 | 7570 | 6930 kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 | 24,7 | 26 | 28 | 29,5 m | 10000 | 9420 | 8650 | 8140 kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |





Mechanisms / 机构




Mechanisms / 机构

| | |
|--|----------------|
|  | TFU-7.5 |
| | 7,5 kW |
| 0 ⇔ 94 m/min | |

| | |
|---|------------------|
|  | SFU-7.5 |
| | 2x 7,5 kW |
| 0 ⇔ 0,7 rpm | |

| | |
|---|-----------------|
|  | RT-7.5 |
| | 2x 75 Nm |
| | 20 m/min |
| | 3XR52 5XR72 |


| | | |
|---|-----------------|----------|
|  | RT-7.5VC | * |
| | 2x 75 Nm | |
| | 20 m/min | |
| | 5XR72 | |


| POWER / 功率 | | | | Operating voltage / 工作电压 | Generator / 发电机 |
|--------------|----------------|----------------|---------------|--------------------------|-----------------|
| Hoist / 起升机构 | Trolley / 变幅机构 | Slewing / 回转机构 | Travel / 行走机构 | | |
| HFU2-37-25 | TFU-7.5 | (2x) SFU-7.5 | (2x) RT-7.5 | 400 V 3ph 50 Hz | 115 kVA |
| HFU2-45-25 | | | | | 140 kVA |

| |
|----------------|
| Optional 选项 |
| * |

Heights Under Hook / 吊钩以下高度

∅ 2,0 m




| | | | | |
|---|----|-------|-----|-----|
|  | n° | Ref. | ∅ | h |
| | 1 | SJ23 | 2,0 | 5,5 |
| | 2 | TSJ24 | 2,0 | 5,5 |
| | 3 | SJ24 | 2,0 | 5,5 |
| | 4 | TSJ25 | 2,0 | 5,5 |
| | 5 | SJ25 | 2,0 | 5,5 |
| 1xSJ25= 1xSJ25M | | | | |

| | | |
|-----------------------|-------------------------|------------------------------------|
| R max. 最大压力 | In operation 工作状态 | 3XR52.....95 t 5XR72.....87 t |
| | Out of service 非工作状态 | 3XR52.....100 t 5XR72.....135 t |


Braced crane / 外附着塔机


Internal Climbing Crane / 内爬塔机




| | 3XA52 | 5XA72 |
|-------|-------|-------|
| A max | 40,1 | 51,4 |
| A min | 18,1 | 29,4 |
| B max | - | 22,0 |
| B min | - | 16,5 |
| C max | 35,1 | 35,1 |
| C min | 29,6 | 29,6 |
| H max | 75,2 | 97,2 |
| | 86,5 | 103,0 |


| | ES32 | ES52 | ES72 |
|-------|-------|------|------|
| A max | 27,6 | 38,6 | 49,6 |
| A min | 16,6 | 16,6 | 27,6 |
| B max | - | 22,0 | 22,0 |
| B min | - | 16,5 | 16,5 |
| C max | 35,1 | 35,1 | 35,1 |
| C min | 29,6 | 29,6 | 29,6 |
| H max | 62,7 | 84,7 | 73,7 |
| | 95,7 | 95,7 | 84,7 |
| | 101,2 | | |



| | | | |
|---|-----------------|-----------|-----------|
|  | Hs < 400 m | A max (m) | A min (m) |
| 46,3 m | 8xSJ15+CLSJ15-1 | 19,6 | 11,0 |
| 40,8 m | 7xSJ15+CLSJ15-1 | 16,8 | 9,0 |
| 35,3 m | 6xSJ15+CLSJ15-1 | 14,1 | 7,0 |

| | | | | |
|---|----|----------|-----|-----|
|  | n° | Ref. | ∅ | h |
| | 14 | SJ15 | 1,6 | 5,5 |
| | 15 | CLSJ15-1 | 1,6 | 3,1 |
| 1xSJ15= 1xSJ15M | | | | |

Other wind zones or additional hook heights on request
其他风区或另外的吊钩高度请咨询



| | n° | Ref. | ∅ | h | n° | Ref. | ∅ | h | n° | Ref. | ∅ | h | | | | |
|------------------|-------|------|-----|-----|-------------|-------|-----|-----|--------|------|-----|-----|--------|------|-----|-----|
| | 1 | SJ23 | 2.0 | 5.5 | 4 | TSJ25 | 2.0 | 5.5 | 7 | SJ35 | 2.5 | 5.5 | 11 | DJ34 | 2.5 | 5.5 |
| 2 | TSJ24 | 2.0 | 5.5 | 5 | SJ25 | 2.0 | 5.5 | 8 | TDJ33A | 2.5 | 5.5 | 12 | DJ35 | 2.5 | 5.5 | |
| 3 | SJ24 | 2.0 | 5.5 | 6 | TMSJ35S/J25 | 2.5 | 1.0 | 9 | DJ33 | 2.5 | 5.5 | 13 | TDJ36B | 2.5 | 5.5 | |
| 1xSJ25 = 1xSJ25M | | | | | | | | | | | | | 14 | DJ36 | 2.5 | 5.5 |

Other wind zones or additional hook heights on request
其他风区或另外的吊钩高度请咨询